



Since 1978

Cooling India... Since Generations!

INDUSTRIAL COOLERS



WINDOW COOLERS | CENTRALIZED AIR COOLERS

PACKAGE COOLERS | MOVABLE COOLERS

WE SUPPORT





**INDUSTRIAL
COOLERS**

HEAVY NAGPUR DESERT / DUCT

(Cooling Capacity 800- 1400 Sft)



With Breathe Easy
Cooling Pads



With Honey Comb
Cooling Pads

- Body of Galvanized steel
- Powder coating for elegant finish
- Suitable for window fitting/outdoor placement
- Larger tank capacity for night long operation
- Three speed control (Except IND 1400)
- Float ball for water filling (Only in Duct Coolers)
- Three / Four side cooling pads
- Easily detachable (Only Gold 1000 & IND 1400)
- One year warranty

Specifications


Model Name	Cooling Capacity(Sft)	Size (Height/Width/Depth)	Blade Size Fan speed (RPM)	Air Displacement (CFM)	Tank Capacity (Ltrs)	Power Consumption(W)	Weight (Kg)	Sound Level (dB)
DUCT 800S/800SH	800	67X29X32 Inches (1700X735X810 mm)	18"- Exhaust (1350)	3000	100	340	54	69
DUCT 1000S/1000SH	1000	73X31X34 Inches (1855X785X865 mm)	21"- Exhaust (1200)	4200	110	460	65	71
GOLD 1000	1000	66X36X27 Inches (1680X914X705 mm)	21"/521 mm (1200)	5200	160	460	62	71
IND 1400H	1400	72X42X29 Inches (1830X1065X735 mm)	24"/600 mm (900)	5550	215	500	96	76



**INDUSTRIAL
COOLERS**

HEAVY DUTY FRONT DISCHARGE

(Cooling Capacity 1200- 2400 Sft)



With Breathe Easy
Cooling Pads



With Honey Comb
Cooling Pads

- Body of Galvanized steel
- Powder coating for elegant finish
- Suitable for centralized ducting / shopfloor
- Supplied in CKD packing for easy installation
- Larger tank capacity for night operation
- Float ball for easy water filling
- 3 side breathe easy/Honeycomb cooling pads
- One year warranty

Specifications


Model Name	Cooling Capacity(Sft)	Size (Height/Width/Depth)	Blade Size Fan speed (RPM)	Air Displacement (CFM)	Tank Capacity (Ltrs)	Power Consumption(W)	Weight (Kg)	Sound Level (dB)
IND 1200H	1200	60X36X36 Inches (1520X910X910 mm)	21"/521 mm (1200)	5200	150	475	63	71
IND 1500/1500H	1500	60X48X48 Inches (1520X1222X1222 mm)	24"/600 mm (900)	5550	450	460	98.50	75
IND 1900/1900H	1900	72X60X60 Inches (1825X1520X1520 mm)	30"/750 mm (900)	13500	460	870	190	81
IND 2400/2400H	2400	72X72X72 Inches (1825X1825X1825 mm)	36"/900 mm (700)	16000	750	1200	230	74



**INDUSTRIAL
COOLERS**

HEAVY DUTY TOP DISCHARGE

(Cooling Capacity 1700- 2800 Sft)



With Breathe Easy
Cooling Pads



With Honey Comb
Cooling Pads

- Body of Galvanized steel
- Powder coating for elegant finish
- Suitable for centralized ducting / shopfloor
- Supplied in CKD packing for easy installation
- Larger tank capacity for night operation
- Float ball for easy water filling
- 4 side breathe easy/Honeycomb cooling pads
- One year warranty

Specifications

Model Name	Cooling Capacity(Sft)	Size (Height/Width/Depth)	Blade Size Fan speed (RPM)	Air Displacement (CFM)	Tank Capacity (Ltrs)	Power Consumption(W)	Weight (Kg)	Sound Level (dB)
IND 1700/ 1700H	1700	60X48X48 Inches (1520X1225X1225 mm)	24"/600 mm (900)	5550	450	500	97	74
IND 2200/ 2200H	2200	72X60X60 Inches (1825X1525X1525 mm)	30"/750 mm (900)	9500	460	870	190	81
IND 2800/ 2800H	2800	72X72X72 Inches (1825X1825X1825 mm)	36"/521 mm (700)	16000	750	1200	220	74



**INDUSTRIAL
COOLERS**

PLASTIC BODY TOP / BOTTOM DISCHARGE

(Cooling Capacity 1800- 2700 Sft)



With Honey Comb
Cooling Pads



Body of fresh virgin quality plastic, UV stablized



Suitable for centralised ducting



Available in single phase / three phase



Metal + nylon blade



Float ball for continuos water supply



With dust filters



With MCB controller



One year warranty

Specifications


 Model Name	 Cooling Capacity(Sft)	 Size (Height/Width/Depth)	 Blade Size Fan speed (RPM)	 Air Displacement (CFM)	 Tank Capacity (Ltrs)	 Power Consumption(W)	 Weight (Kg)	 Sound Level (dB)
FORCE-P 1800H	1800	37X42X42 Inches (950X1080X1080 mm)	24"/609 mm (1400)	10500	30	1100	61.5	78
FORCE-P 2200H	2200	46X43X43 Inches (1180X1100X1100 mm)	24"/609 mm (1400)	13000	30	1500	69	78
FORCE-P 2700H	2700	43X51X51 Inches (1100X1300X1300 mm)	28"/711 mm (1400)	18000	35	3000	96	81



INDUSTRIAL COOLERS

MOVABLE TENT / COMMERCIAL

(Cooling Capacity 1000- 2800 Sft)



With Honey Comb
Cooling Pads

- Body of fresh virgin quality plastic, UV stablized
- Powerful air throw
- Suitable for indoor/outdoor cooling
- With heavy duty movable wheels
- Metal / Aluminium Die Casting Blade
- Float ball for continuos water supply
- SS hardware and screws
- One year warranty

Specifications

Model Name	Cooling Capacity(Sft)	Size (Height/Width/Depth)	Blade Size Fan speed (RPM)	Air Displacement (CFM)	Tank Capacity (Ltrs)	Power Consumption(W)	Weight (Kg)	Sound Level (dB)
THUNDER 120	1000	58X38X22 Inches (1470X965X560 mm)	24"/600 mm (1350)	5500	90	525	31.4	70
KAILASH 90i	2400	61X45X24 Inches (1545X1145X620 mm)	30"/762 mm (950)	10600	90	580	55	68
KAILASH 2400H	2400	68X44X42 Inches (1727X1117X610 mm)	30"/762 mm (950)	10600	160	580	55	68
KAILASH 2800H	2800	68X44X24 Inches (1725X1115X610 mm)	30"/762 mm (950)	12500	160	750	53.5	70
EVEREST 2800i	2800	63X45X27 Inches (1600X1140X685 mm)	30"/762 mm (950)	12500	160	750	52	70



**INDUSTRIAL
COOLERS**

HEAVY DUTY MOVABLE JUMBO

(Cooling Capacity 1900 Sft)



With Honey Comb
Cooling Pads

- Body of fresh virgin quality plastic, UV stablized
- With heavy duty movable wheels
- Available in single phase
- Metal + nylon blade
- Larger tank capacity with water level indication
- Four side honeycomb cooling pads
- With dust filters
- With MCB controller
- One year warranty

Specifications

Model Name	Cooling Capacity(Sft)	Size (Height/Width/Depth)	Blade Size Fan speed (RPM)	Air Displacement (CFM)	Tank Capacity (Ltrs)	Power Consumption(W)	Weight (Kg)	Sound Level (dB)
JUMBO 1900H - 1	1900	76X43X43 Inches (1920X1080X1080 mm)	24"/600 mm (1400)	10600	220	1100	78	72
JUMBO 1900H - 4	1900	76X43X43 Inches (1920X1080X1080 mm)	24"/600 mm (1400)	10600	220	1100	78	72

**INDUSTRIAL
COOLERS**



Since 1978

Cooling India... Since Generations!

ABOUT US

Ram Coolers is India's leading air cooler brand and is trusted for offering high-quality air coolers. The unique designing coupled with cutting-edge technology not only ensures safe and durable long-lasting hassle-free life of our coolers but also increases performance and cuts down sound and electricity consumption.

Our coolers range from large capacity jumbo, desert, duct and industrial cooler models that can be placed from outside the window or can be used for centralized cooling. We also have small and portable room to large tower and duct cooler models that can be placed in-house. For easy reference, each cooler model is tagged with the Sft area it cools.

SHOWROOM OFFICE

Ram Coolers Building,
New Shukrawari Square,
Nagpur- 440 032
Ph.+91 712 2721072

FACTORY

Ram Coolers Pvt. Ltd.,
Adyali Bypass, At Post Umargaon,
Umred Road, Nagpur-441 204
Ph: +91 9284004270

Note:

1. Company reserves the right to change technical specification without prior notice.
2. Product colour shown are as accurate the limitations of printing process will allow.

www.ramcoolers.com